

Monthly Variability of Selected Weather Elements in the Portharcourt Urban Enclaves, Rivers State, Nigeria from 2010 to 2020

Dollah Osademe Chukwudi¹, Onyeananam Udochukwu Francis¹, Ozabor Famous^{2*},
Wekpe Vremudia Onyeayana³, Obisesan Adekunle³

¹Institute of Geosciences and Environmental Management, Rivers State University, Port Harcourt, Nigeria

²Department of Environmental Management, Dennis Osadebay University, Asaba, Nigeria

³Department of Geography and Environmental Management, University of Portharcourt, Choba, Nigeria

Email: *famous.ozabor@dou.edu.ng

How to cite this paper: Chukwudi, D. O., Francis, O. U., Famous, O., Onyeayana, W. V., & Adekunle, O. (2025). Monthly Variability of Selected Weather Elements in the Portharcourt Urban Enclaves, Rivers State, Nigeria from 2010 to 2020. *American Journal of Climate Change*, 14, 61-74.

<https://doi.org/10.4236/ajcc.2025.141004>

Received: December 2, 2024

Accepted: March 4, 2025

Published: March 7, 2025

Copyright © 2025 by author(s) and Scientific Research Publishing Inc.
This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

Abstract

The study examined Monthly Variability of selected weather elements in the Portharcourt urban enclaves, Rivers State, Nigeria from 2010 to 2020. Monthly weather data for 2010 to 2020 on temperature, rainfall, relative humidity and wind speed were obtained from Nigerian Meteorological Agency (NIMET) and used for the study. Both descriptive and inferential statistics were used for data analyses. Findings showed that mean monthly rainfall, relative humidity, temperature and wind speed were 2085.06 mm, 77.01%, 27.93°C and 2.30 m/s respectively. The trend analysis shows that rainfall increased at the rate of 57.73 mm from January to December while relative humidity increased at the rate of 1.4846%. Monthly temperature was decreasing at the rate of 0.1075°C and wind speed was also decreasing at the rate of 0.0562 m/s. The study concluded that the monthly rainfall, relative humidity and temperature varied significantly from January to December, due to natural and anthropogenic factors, while the wind speed was not varied, due to terrain and pressure gradient characteristics which are similar across the area. The month of highest rainfall was June, temperature was February, relative humidity was September and wind speed was August. The study recommended that more periodic monitoring studies are required to give in-depth knowledge about the variability in the weather parameters in Portharcourt Metropolis. Additionally, more studies on the influence of the seasons and land-use types on climate parameters should be initiated in the area.

Keywords

Variability, Temperature, Relative Humidity, Wind Speed, Monitoring, Port

1. Introduction

It is possible and has since been established in literature that weather variability happens within any climate system (Ozabor & Nwagbara, 2018; Cinto-Mejía & Wetzel, 2023). The reasons for occurrence ranges from natural factors (revolution, rotation, volcanic eruptions etc.) to manmade factors (urbanization, deforestation, atmospheric pollution, etc.) (Singh et al., 2023). Recent studies (Weli & Famous, 2018; Shehadeh et al., 2024) have emphasized the need for continuous examination of the weather and climatic systems, due to the impacts of climate variability on the environment, agriculture, food security and health. Also, studies have revealed that weather variability has been linked to urban flooding (Ojeh & Ozabor, 2013; Ozabor & Wodu, 2016; Dharmarathne et al., 2024) insecurity, indoor thermal discomfort (Ozabor & Ajukwu, 2023a, 2023b), and food fermentation (Nwagbara et al., 2017).

Zhou et al. (2023) identified that fluctuating relative humidity (RH) affects temperature characteristics. The same is also reported for relationships between the fluctuations in RH and rainfall (RF) (Oloketuyi & Omole, 2024). This indicates that changes in the characteristics of temperature affects rainfall and RH (Ozabor, 2014; Ogoro et al., 2020). Additionally, the rates of solar radiation (SR) and urbanization characteristic (UC) is linked to temperature changes (Nayak et al., 2023). Godspower et al. (2023) averred that the urban expansion, population rise, deforestation, and air pollution affects temperature variability. Also, Liu et al. (2023) identified that variations in SR causes variation in temperature. Zhang et al. (2023) asserted that SR variability correlated with increased rainfall variability. The issue of climate change is certainly not one that surfaced recently (Ozabor et al., 2024); climate change has been an issue since early civilization and scientists have been sounding the alarms about climate change (Amiri et al., 2024). In Southern Nigeria however, attenuation in rain patterns observed, results in unpredictable flooding, which has been detrimental to both mining and deep-water aquaculture in that area (Queirós et al., 2024; Nwaogu et al., 2024a). Department for International Development (DFID) history also included in 2009 documents large loss in the manufacturing sector due to possibilities of flooding that affected the fulfilment of production objectives (Trujillo, 2015). This is especially true because the sector's agricultural input is quite sensitive to climate change (Okumagba & Ozabor, 2016; Nwaogu et al., 2024b)

The adverse consequences of climate change such as, increased temperature have also resulted in more frequent and severe heat waves (Luber & McGeethin, 2008), with the worst summers registered to date being in the year of 2003 (Russo et al., 2014); where heat waves in that year saw nearly 40,000 people die from excess heat primarily in Europe (García-Herrera et al., 2010). This event and its

magnitude has since been eclipsed by the Russian heat-wave of the year 2010 (Kononov et al., 2011), but that too resulted in excess deaths of 55,000 with estimated economic losses of an estimated 15 billion dollars. All these climate change milieu are traceable to manmade contributions through urbanisation, pollution and deforestation (Iacovino & Randazzo, 2023).

Greenhouse gas (GHG) emissions in Nigeria and other parts of the world however, have largely been attributed to human activities including agriculture (Ushurhe et al., 2024a). In the climate change discussion, projections are that hundreds of millions of people (especially in developing parts of the world) will be at risk of water and food shortages (Ahmed et al., 2024) that will harm health over the coming decades (Ozabor & Obaro, 2016). Thus, governments and all concerned, must act jointly on a global scale to minimize the permanent effects of climatic variability and change (Abbass et al., 2022). However, a modest increase in global temperature is expected to exacerbate the nature, frequency and intensity of extreme climatic events (Zwiers et al., 2013).

Human activities have drastically changed many aspects of the atmosphere (Li, et al., 2020), including temperature (Nwagbara et al., 2018), rainfall (Ojeh et al., 2018), levels of carbon dioxide (Kwakwa et al., 2023) and levels of ozone close to the ground (Ozabor & Obisesan, 2015). The Intergovernmental Panel on Climate Change (IPCC) averred that, despite its lack of scepticism about specific climate change, the warming of the climate system is undeniable (Bucknam, 2023). As GHG levels rise, models predict that the frequency and intensity of heat waves will increase globally throughout the 21st century (Domeisen et al., 2023; Iyama et al., 2024). Dramatic declines in soil moisture in the United States are expected to further increase summer temperatures in parts of the Midwest (Sun et al., 2023). Historically, rare heat waves, which occurred once every 20 years, are expected to occur every 2 - 3 years in the second half of this century (Yule et al., 2023). By the end of the century, under the IPCC High Emissions Scenario (AR5), extreme events like the 2010 Russian heat wave are projected to occur every two years in places like Southern Europe, North and South America, Africa and Indonesia (Moustafa et al., 2023). Although extreme heat waves and heat waves are common, unusually cold weather has decreased dramatically since the 1950s (Bardin et al., 2024). For example, in 2015, 16% of the Earth experienced an extremely warm year, while only 0.2% experienced an extremely cold year (Ke et al., 2024). Similarly, in 2014, no significant cold rainfall was observed anywhere on Earth, while 12% experienced significantly warmer rainfall (Trancoso et al., 2024). Climate models have shown that these effects are primarily driven by high levels of GHGs (Wang et al., 2023).

The 2000s in the US, has experienced fewer cold waves since 1895, more than double the lows of the late 1990s (LaDochy & Witiw, 2023). Projections suggest a sharp decline in the coldest temperatures by the end of the 21st century, and the coldest nights of the year were warmer than the warmest days, especially in the northern elevations (Asadi-RahimBeygi et al., 2024). At the same time, winter storm tracks moved northward, which is increasing and becoming more frequent

since the 1950s (Collins et al., 2024).

The rain-fed and dependent agriculture in the southern region of Nigeria makes it particularly vulnerable to climate change (Fadairo et al., 2023). This is because weather affects agriculture directly or indirectly. Previous studies (Nwagbara et al., 2017; Ozabor & Nwagbara, 2018) have shown variations in climate over time and space, however these studies did not specifically focus on Portharcourt. The current study examined climate variability and plausible natural and anthropogenic factors affecting temperature, rainfall, and humidity in Rivers State. The variability in climate, have severe impacts on agriculture, food security, health, and urban flooding. Therefore, this study examined the monthly changes in temperature, precipitation, humidity and wind speed from 2010 to 2020 in Portharcourt Metropolis, Rivers State, Nigeria.

2. Materials and Methods

The study area for this study is Portharcourt Metropolis, which is a coastal area in the southern part of Nigeria (Okumagba & Ozabor, 2014). Geographically, Portharcourt is located on latitudes 4°73'06 N and 4°90'17 N of the equator and longitudes 6°92'05 E and 7°07'56 E of the Greenwich meridian (Figure 1). Over the years, the city has experienced rapid urbanization driven by factors such as natural population growth, employment opportunities created by the oil boom of the 1970s, migration (Famous & Adekunle, 2020; Famous et al., 2023), improvements in transportation and communication. It is estimated that the presence of multinational oil companies has influenced the growth in population in this region of Nigeria (Uduji & Okolo-Obasi, 2017).

The development of Portharcourt is incredibly linked to the socio-economic history of Nigeria (Obafemi & Odubo, 2013). Figure 1 shows the study areas in Portharcourt Municipality. The rapid population growth coupled with the lack of housing has created many urban challenges such as unplanned sprawl, environmental pollution, waste challenges, lack of basic infrastructure, poverty, urban decay, overcrowding, irregular rural and settlement (Ozabor et al., 2024). However, it has been reported that private companies have been slow to meet the demands of the growing urban population. Historically, about 80% of the housing developments in the Port have been developed by the Harcourt private sector. However, these private companies prefer to develop buildings for Medium- and high income groups, neglecting the housing demands of lower income groups (Ozabor et al., 2024). However, there is a link between these population growth, urbanization and climate variability in the area.

In terms of climate, the area falls under the koppens classification with high rainfall (2015 - 2250 mm), high relative humidity (85% to 95%) high annual mean temperature (27°C - 30°C). However, the changing urbanization characteristics and other anthropogenic activities have been affecting the climate over the year, causing effects on the local climate in the area (Obafemi & Odubo, 2013; Ushurhe, et al., 2024b).




Figure 1. Port Harcourt Metropolis.

Longitudinal research design was deployed in this study. The annual and monthly record of temperature, rainfall, relative humidity and wind speed from 2010 to 2020 were collected from the Nigerian Meteorological Agency (NiMet). The meteorological data were grouped into both wet season (April-October) and dry season (November-March) and used for further analysis. The descriptive statistics involved the means, standard deviation, frequency and percentages while analysis of variance was used to determine the significant variability in climate data. The null hypothesis which states 'there is no significant variation in the rainfall, temperature and relative humidity in the study area' was tested using Analysis of Variance (ANOVA). These analyses were done using the IBM/statistical package for the social sciences (SPSS) version 25.

3. Results and Discussions

The monthly analysis of meteorological data is presented in **Table 1**. It is shown that the minimum monthly total rainfall was 162.50 mm and the maximum was 3697.20 mm while the mean monthly rainfall was 2085.06 mm. The monthly relative humidity had a minimum value of 44.25% and the maximum was 83.93% while the mean relative humidity was 77.01%. The monthly temperature analysis

shows that the minimum was 26.41°C and the maximum was 29.35°C with the mean temperature of 27.93°C. The wind speed monthly analysis reveals that the minimum was 1.81 m/s, maximum of 2.59 m/s with mean wind speed of 2.30 m/s.

Furthermore, it is observed that the rainfall monthly analysis shown in **Figure 1** reveals that temperature was higher in both June and September with above 3500 mm of rainfall. The lower rainfall was experienced in January and December. It is thus observed that the trend surface line increases with increasing in the month from January to December. The trend line also showed that rainfall increased at a rate of 57.728 mm from January to December. The R Square analysis reveals that 2.72% of the variation in the rainfall could be explained by the variation in the months.

The relative humidity monthly analysis in **Figure 2** shows that the least was experienced in January while the higher relative humidity was experienced between June and November. The trend surface analysis reveals that relative humidity increases at the rate of 1.4846% and the R Square analysis reveals that 22.04% of the variation of relative humidity could be explained by the variation in the months between January and December.

Table 1. Descriptive statistics of monthly analysis of meteorological parameters.

Meteorological Parameters	Minimum	Maximum	Mean	Std. Deviation
Monthly Total Rainfall	162.50	3697.20	2085.06	1261.9
Monthly Mean Relative Humidity	44.25	83.93	77.01	11.0
Monthly Mean Temperature	26.41	29.35	27.93	1.0
Monthly Mean Wind Speed	1.81	2.59	2.30	0.25




Figure 2. Total monthly rainfall of Port Harcourt from 2010 to 2020.

The monthly analysis of temperature of Port Harcourt between 2010 and 2020 shows that temperature was lower between June and July while the highest temperature was noticed in February and December (**Figure 3**). However, the trend surface analysis reveals that monthly temperature was decreasing at the rate of 0.1075°C and the R Square analysis shows that 14.97% of the variation in the monthly temperature could be explained by the variation in the months between January and December.

Similarly, the analysis of monthly wind speed of Port Harcourt displayed in **Figure 4** reveals that the wind speed across the months was lower than 3.00 m/s




Figure 3. Monthly relative humidity of Port Harcourt from 2010 to 2020.




Figure 4. Monthly temperature of Port Harcourt from 2010 to 2020.




Figure 5. Monthly wind speed of Port Harcourt from 2010 to 2020.

Table 2. ANOVA of monthly meteorological parameters.

		Sum of Squares	df	Mean Square	F	Sig.
Rainfall	Between Groups	15,92,608.822	11	144,782.620	30.358	0.000
	Within Groups	572,296.986	120	4769.142		
	Total	2,164,905.807	131			
Relative Humidity	Between Groups	14,689.533	11	1335.412	28.188	0.000
	Within Groups	5684.953	120	47.375		
	Total	20,374.486	131			
Temperature	Between Groups	121.309	11	11.028	5.054	0.000
	Within Groups	261.839	120	2.182		
	Total	383.148	131			
Wind Speed	Between Groups	7.956	11	0.723	1.710	0.079
	Within Groups	50.744	120	0.423		
	Total	58.700	131			

and it continued to decrease from January to December. The trend surface line continues to decrease from January to December and the decrease was at the rate of 0.0562 m/s. The R Square analysis suggests that 62.41% of variation in the wind speed could be explained by the variation in the months.

The analysis in **Table 2** presents the analysis of variance of the monthly meteorological parameters and it is revealed that total rainfall ($F = 30.358$; $p < 0.05$), relative humidity ($F = 28.188$; $p < 0.05$) and temperature ($F = 5.054$; $p < 0.05$) were

significantly varied among the months while the wind speed was not significantly varied by months. Therefore, the null hypothesis is accepted for only the wind speed while the alternative hypothesis is accepted for total rainfall, relative humidity and temperature.

4. Discussion of Findings

The monthly relative humidity was higher from June to October affirming its significant influence on the total rainfall. The wind speed was highest in August and the least was observed in December. The least in December may be attributed to the presence of harmattan whereby several suspended dust particles could slow down the wind movement. The monthly analysis for the rainfall was increasing at the rate of 57.728 mm and the months of June and September served as the higher peaks of rainfall. This is corroborated the findings of [Ushurhe et al. \(2024b\)](#) that observed highest rainfall amount average prevailed in the area from July to September. [Oguntunde et al. \(2011\)](#) studied monthly rainfall distribution in Nigeria between 1985-1994 and 1995-2004 and noticed some fluctuations in most months within the decades. [Areola & Fasona \(2018\)](#) also investigated the seasonal rainfall variability in Guinea savannah part of Nigeria and concluded that rainfall variability continues to be on the increase as an element of climate change. Portharcourt experienced more rainfall months than dry months. This is in agreement to the study of [Ayanlade et al. \(2019\)](#) which revealed that in the tropical coastal belts, it was observed that there are more wet months than dry ones. Similar to rainfall is relative humidity which was higher between June and October. The hottest months were February and December while the coldest months were June and July. The wind speed in the entire study area was relatively low and it shows a calm condition. However, the highest windy month was August and the least windy month was November. Rainfall, relative humidity and temperature varied significantly among the months.

5. Conclusion and Recommendations

The study concluded that the monthly rainfall, relative humidity and temperature varied significantly from January to December while the wind speed was less erratic. The month with the highest rainfall was June. Temperature was hottest in February, while relative humidity was highest in the month of September. The study recommended that more periodic monitoring studies are required to have more in-depth knowledge about the variability in the weather parameters in Port Harcourt Metropolis and more studies on the influence of the seasons and land use types on climate parameters can be proposed and executed. This kind of study should be extended to other urban centres and rural areas for comparison purposes.

Conflicts of Interest

The authors declare no conflicts of interest regarding the publication of this paper.

References

- Abbass, K., Qasim, M. Z., Song, H., Murshed, M., Mahmood, H., & Younis, I. (2022). A Review of the Global Climate Change Impacts, Adaptation, and Sustainable Mitigation Measures. *Environmental Science and Pollution Research*, 29, 42539-42559. <https://doi.org/10.1007/s11356-022-19718-6>
- Ahmed, M. M., Asowe, H. A., Dirie, N. I., Mohamud, A. K., Lucero-Prisno III, D. E., Okesanya, O. J. et al. (2024). The Nexus of Climate Change, Food Insecurity, and Conflict in Somalia: A Comprehensive Analysis of Multifaceted Challenges and Resilience Strategies. *F1000Research*, 13, 913. <https://doi.org/10.12688/f1000research.154400.1>
- Amiri, Z., Heidari, A., & Navimipour, N. J. (2024). Comprehensive Survey of Artificial Intelligence Techniques and Strategies for Climate Change Mitigation. *Energy*, 308, Article ID: 132827. <https://doi.org/10.1016/j.energy.2024.132827>
- Areola, M., & Fasona, M. (2018). Sensitivity of Vegetation to Annual Rainfall Variations over Nigeria. *Remote Sensing Applications: Society and Environment*, 10, 153-162. <https://doi.org/10.1016/j.rsase.2018.03.006>
- Asadi-RahimBeygi, N., Zarrin, A., Mofidi, A., & Dadashi-Roudbari, A. (2024). Near-Term Temperature Extremes in Iran Using the Decadal Climate Prediction Project (DCPP). *Stochastic Environmental Research and Risk Assessment*, 38, 447-466. <https://doi.org/10.1007/s00477-023-02579-x>
- Ayanlade, A., Atai, G., & Jegede, M. O. (2019). Variability in Atmospheric Aerosols and Effects of Humidity, Wind and Intertropical Discontinuity over Different Ecological Zones in Nigeria. *Atmospheric Environment*, 201, 369-380. <https://doi.org/10.1016/j.atmosenv.2018.12.039>
- Bardin, M. Y., Platova, T. V., & Samokhina, O. F. (2024). Extreme Heat Waves and Extreme Summer Seasons in European Russia. *Russian Meteorology and Hydrology*, 49, 467-481. <https://doi.org/10.3103/s1068373924060013>
- Bucknam, M. A. (2023). Climate Change and National Security. *Comparative Strategy*, 42, 187-226. <https://doi.org/10.1080/01495933.2023.2182108>
- Cinto Mejía, E., & Wetzel, W. C. (2023). The Ecological Consequences of the Timing of Extreme Climate Events. *Ecology and Evolution*, 13, e9661. <https://doi.org/10.1002/ece3.9661>
- Collins, M., Beverley, J. D., Bracegirdle, T. J., Catto, J., McCrystall, M., Dittus, A. et al. (2024). Emerging Signals of Climate Change from the Equator to the Poles: New Insights into a Warming World. *Frontiers in Science*, 2, Article ID: 1340323. <https://doi.org/10.3389/fsci.2024.1340323>
- Dharmarathne, G., Waduge, A. O., Bogahawaththa, M., Rathnayake, U., & Meddage, D. P. (2024). Adapting Cities to the Surge: A Comprehensive Review of Climate-Induced Urban Flooding. *Results in Engineering*, 22, Article ID: 102123. <https://doi.org/10.1016/j.rineng.2024.102123>
- Domeisen, D. I. V., Eltahir, E. A. B., Fischer, E. M., Knutti, R., Perkins-Kirkpatrick, S. E., Schär, C. et al. (2023). Prediction and Projection of Heatwaves. *Nature Reviews Earth & Environment*, 4, 36-50. <https://doi.org/10.1038/s43017-022-00371-z>
- Fadairo, O., Olajuyigbe, S., Adelakun, O., & Osayomi, T. (2023). Drivers of Vulnerability to Climate Change and Adaptive Responses of Forest-Edge Farming Households in Major Agro-Ecological Zones of Nigeria. *GeoJournal*, 88, 2153-2170. <https://doi.org/10.1007/s10708-022-10741-1>
- Famous, O., & Adekunle, O. (2020). The Role of Government and Private Partnership in Eradicating Street Waste Dumps in Port Harcourt. *International Journal of Environmental*

- Protection and Policy*, 8, 31-35. <https://doi.org/10.11648/j.ijepp.20200801.14>
- Famous, O., Tsaro, K. M. B., & Godspower, I. (2023). Moving from Waste Management to Waste Monetization: Delta and Bayelsa States in Perspective. *Journal of Waste Management & Recycling Technology*, 1, 1-7. [https://doi.org/10.47363/jwmrt/2023\(1\)113](https://doi.org/10.47363/jwmrt/2023(1)113)
- García-Herrera, R., Díaz, J., Trigo, R. M., Luterbacher, J., & Fischer, E. M. (2010). A Review of the European Summer Heat Wave of 2003. *Critical Reviews in Environmental Science and Technology*, 40, 267-306. <https://doi.org/10.1080/10643380802238137>
- Godspower, I., Tsaro, K. M. B., & Famous, O. (2023). Spatial Assessment of the Perception of Environmental Pollution in Rivers State. *Journal of Geoscience and Environment Protection*, 11, 10-20. <https://doi.org/10.4236/gep.2023.1110002>
- Iacovino, A., & Randazzo, L. (2023). Climate Change and Food Security in the One Health Perspective. *BioLaw Journal-Rivista di BioDiritto*, 2, 293-314.
- Iyama, W. A., Nnadi, O. C., Ubong, I., Timothy, M. N., Dollah, C. O., Gbode, Y. L. et al. (2024). Assessing the Impact of Petrol Service Stations on Selected Physico-Chemical Water Quality Parameters within Port Harcourt Metropolis, Nigeria. *Journal of Geoscience and Environment Protection*, 12, 204-220. <https://doi.org/10.4236/gep.2024.1210011>
- Ke, P., Ciais, P., Sitch, S., Li, W., Bastos, A., Liu, Z. et al. (2024). Low Latency Carbon Budget Analysis Reveals a Large Decline of the Land Carbon Sink in 2023. *National Science Review*, 11, nwae367. <https://doi.org/10.1093/nsr/nwae367>
- Konovalov, I. B., Beekmann, M., Kuznetsova, I. N., Yurova, A., & Zvyagintsev, A. M. (2011). Atmospheric Impacts of the 2010 Russian Wildfires: Integrating Modelling and Measurements of an Extreme Air Pollution Episode in the Moscow Region. *Atmospheric Chemistry and Physics*, 11, 10031-10056. <https://doi.org/10.5194/acp-11-10031-2011>
- Kwakwa, P. A., Adzawla, W., Alhassan, H., & Oteng-Abayie, E. F. (2023). The Effects of Urbanization, ICT, Fertilizer Usage, and Foreign Direct Investment on Carbon Dioxide Emissions in Ghana. *Environmental Science and Pollution Research*, 30, 23982-23996. <https://doi.org/10.1007/s11356-022-23765-4>
- LaDochy, S., & Witiw, M. (2023). Climate Change in California: Past, Present, and Future. In S. LaDochy, & M. Witiw (Eds.), *Fire and Rain: California's Changing Weather and Climate* (pp. 163-183). Springer Nature. https://doi.org/10.1007/978-3-031-32273-0_11
- Li, L., Li, Q., Huang, L., Wang, Q., Zhu, A., Xu, J. et al. (2020). Air Quality Changes during the COVID-19 Lockdown over the Yangtze River Delta Region: An Insight into the Impact of Human Activity Pattern Changes on Air Pollution Variation. *Science of the Total Environment*, 732, Article ID: 139282. <https://doi.org/10.1016/j.scitotenv.2020.139282>
- Liu, L., He, G., Wu, M., Liu, G., Zhang, H., Chen, Y. et al. (2023). Climate Change Impacts on Planned Supply-Demand Match in Global Wind and Solar Energy Systems. *Nature Energy*, 8, 870-880. <https://doi.org/10.1038/s41560-023-01304-w>
- Luber, G., & McGeehin, M. (2008). Climate Change and Extreme Heat Events. *American Journal of Preventive Medicine*, 35, 429-435. <https://doi.org/10.1016/j.amepre.2008.08.021>
- Moustafa, A., Elganainy, R., & Mansour, S. (2023). Insights into the UNSG Announcement: The End of Climate Change and the Arrival of the Global Boiling Era, July 2023 Confirmed as the Hottest Month Recorded in the Past 120,000 Years. *Catrina: The International Journal of Environmental Sciences*, 28, 43-51. <https://doi.org/10.21608/cat.2023.234635.1197>
- Nayak, H. P., Nandini, G., Vinoj, V., Landu, K., Swain, D., Mohanty, U. C. et al. (2023). Influence of Urbanization on Winter Surface Temperatures in a Topographically

- Asymmetric Tropical City, Bhubaneswar, India. *Computational Urban Science*, 3, Article No. 36. <https://doi.org/10.1007/s43762-023-00112-y>
- Nwagbara, M. O., Obisesan, A., & Ozabor, F. (2018). Temperature Effects on Cooked Food in the Tropics: A Case Study of Local Soups in Abraka, Delta State, Nigeria. *African Journal of Food Science*, 12, 210-215. <https://doi.org/10.5897/ajfs2018.1710>
- Nwagbara, M., Ozabor, F., & Obisesan, A. (2017). Perceived Effects of Climate Variability on Food Crop Agriculture in Uhunmwode Local Government Area of Edo State, Nigeria. *Journal of Scientific Research and Reports*, 16, 1-8. <https://doi.org/10.9734/jsrr/2017/35946>
- Nwaogu, C., Diagi, B. E., Ekweogu, C. V., Ajeyomi, A. S., Ejiogu, C. C., Emereibeole, E. I. et al. (2024a). Soil Organic Carbon Stocks as Driven by Land Use in Mato Grosso State: The Brazilian Cerrado Agricultural Frontier. *Discover Sustainability*, 5, Article No. 382. <https://doi.org/10.1007/s43621-024-00592-w>
- Nwaogu, C., Diagi, B. E., Ozabor, F., Edokpa, D., Aigbedion, I. P., Adekunle, O., Cherubin, M. R. et al. (2024b). *Mapping the Research Landscape of Conservation Agriculture as a Panacea for Achieving Soil Health and Sustainable Development Goals Using Sciencetometrics*.
- Obafemi, A. A., & Odubo, T. V. (2013). Waterfronts Redevelopments in Port Harcourt Metropolis: Issues and Socio-Economic Implications for Urban Environmental Management. *International Journal of Engineering Science*, 2, 1-14.
- Ogoro, M., Uche, E. A., & Chukwudi, D. O. (2020). Urban Growth Influence on Land Cover Dynamics across Obio/Akpor Port Harcourt, Nigeria. *Asian Journal of Advanced Research and Reports*, 13, 1-11. <https://doi.org/10.9734/ajarr/2020/v13i430312>
- Oguntunde, P. G., Abiodun, B. J., & Lischeid, G. (2011). Rainfall Trends in Nigeria, 1901-2000. *Journal of Hydrology*, 411, 207-218. <https://doi.org/10.1016/j.jhydrol.2011.09.037>
- Ojeh, V. N., & Ozabor, F. (2013). The Impact of Weather-Related Road Traffic Congestion on Transportation Cost in Benin City, Nigeria. *Journal of Environmental Sciences and Resource Management*, 5, 130-138.
- Ojeh, V. N., Ozabor, F., Labiru, M. A., & Atuma, M. I. (2018). Awareness of Climate Change Impacts and Adaptation in Delta State, Nigeria. *Climate Change*, 4, 166-174.
- Okumagba, P. O., & Ozabor, F. (2014). The Effects of Socio-Economic Activities on River Ethiope. *Journal of Sustainable Society*, 3, 1-6.
- Okumagba, P. O., & Ozabor, F. (2016). Environmental and Social Implication of Urban Solid Waste in Abraka, Ethiope-East Local Government Area of Delta State, Nigeria. *Journal of Social and Management Sciences*, 11, 124-131.
- Oloketuyi, J., & Omole, O. (2024). Investigating the Influence of Cosmic Ray and Solar Activities on Atmospheric Weather Dynamics within the Equatorial Electrojet Region (Nigeria). *Discover Atmosphere*, 2, Article No. 5. <https://doi.org/10.1007/s44292-024-00006-6>
- Ozabor, F. (2014). *Analysis of Rainfall Regimes in Nigeria*. Department of Geography and Environmental Management.
- Ozabor, F., & Ajukwu, G. A. (2023a). A Comparative Assessment of Thermal Comfort in Residential Buildings in Asaba and Igbuzor in Delta State. *Coou African Journal of Environmental Research*, 4, 130-150.
- Ozabor, F., & Ajukwu, G. A. (2023b). Thermal Comfort Perception in Asaba, Delta State, Nigeria. *Nigerian Geographical Journal*, 17, 45-57.
- Ozabor, F., & Nwagbara, M. O. (2018). Identifying Climate Change Signals from Downscaled

- Temperature Data in Umuahia Metropolis, Abia State, Nigeria. *Journal of Climatology & Weather Forecasting*, 6, Article ID: 1000215.
- Ozabor, F., & Obaro, H. N. (2016). Health Effects of Poor Waste Management in Nigeria: A Case Study of Abraka in Delta State. *International Journal of Environment and Waste Management*, 18, 195-204. <https://doi.org/10.1504/ijewm.2016.080790>
- Ozabor, F., & Obisesan, A. (2015). Gas Flaring: Impacts on Temperature, Agriculture and the People of Ebodei in Delta State Nigeria. *Journal of Sustainable Society*, 4, 5-12.
- Ozabor, F., & Wodu, D. P. (2016). Impact of Flooding on Wheel Shafts and Wheel Bearings in Abraka, and Way Forward. *Journal of Geoscience and Environment Protection*, 4, 124-131. <https://doi.org/10.4236/gep.2016.47013>
- Ozabor, F., Onyemenam, P. I., Wekpe, V. O., & Obisesan, A. (2024). Determinants of Housing Demands and Residential Rent Costs in an Emerging City in Southern Nigeria. *Urban Governance*, 4, 232-244. <https://doi.org/10.1016/j.ugj.2024.08.002>
- Ozabor, F., Wekpe, V. O., Tega, E., & Ojoh, C. (2024). Spatial Assessment of Pollutants Concentration in Air and Soils Impacted by Industrial Wastes in Lagos State, Nigeria. *Environmental Research Communications*, 6, Article ID: 065013. <https://doi.org/10.1088/2515-7620/ad5790>
- Queirós, A. M., Talbot, E., Msuya, F. E., Kuguru, B., Jiddawi, N., Mahongo, S. et al. (2024). A Sustainable Blue Economy May Not Be Possible in Tanzania without Cutting Emissions. *Science of the Total Environment*, 947, Article ID: 174623. <https://doi.org/10.1016/j.scitotenv.2024.174623>
- Russo, S., Dosio, A., Graversen, R. G., Sillmann, J., Carrao, H., Dunbar, M. B. et al. (2014). Magnitude of Extreme Heat Waves in Present Climate and Their Projection in a Warming World. *Journal of Geophysical Research: Atmospheres*, 119, 12,500-12,512. <https://doi.org/10.1002/2014jd022098>
- Shehadeh, A., Alshboul, O., & Tamimi, M. (2024). Integrating Climate Change Predictions into Infrastructure Degradation Modelling Using Advanced Markovian Frameworks to Enhanced Resilience. *Journal of Environmental Management*, 368, Article ID: 122234. <https://doi.org/10.1016/j.jenvman.2024.122234>
- Singh, A. P., Kumar, J., Chauhan, I., Saxena, P. K., Gaur, P. K., Sharma, S. K. et al. (2023). Role of Climate Change in Disasters Occurrences: Forecasting and Management Options. In A. Srivastav, et al. (Eds.), *Visualization Techniques for Climate Change with Machine Learning and Artificial Intelligence* (pp. 149-180). Elsevier. <https://doi.org/10.1016/b978-0-323-99714-0.00020-0>
- Sun, W., Fleisher, D., Timlin, D., Ray, C., Wang, Z., Beegum, S. et al. (2023). Projected Long-Term Climate Trends Reveal the Critical Role of Vapor Pressure Deficit for Soybean Yields in the US Midwest. *Science of the Total Environment*, 878, Article ID: 162960. <https://doi.org/10.1016/j.scitotenv.2023.162960>
- Trancoso, R., Syktus, J., Allan, R. P., Croke, J., Hoegh-Guldberg, O., & Chadwick, R. (2024). Significantly Wetter or Drier Future Conditions for One to Two Thirds of the World's Population. *Nature Communications*, 15, Article No. 483. <https://doi.org/10.1038/s41467-023-44513-3>
- Trujillo, M., Baas, S., Ricoy, A., Battista, F., Herold, J., & Vantwout, T. (2015). *Main-Streaming Disaster Risk Reduction in Agriculture: An Assessment of Progress Made against the Hyogo Framework for Action* (96 p.). Final Report, Food and Agriculture Organization of the United Nations (FAO).
- Uduji, J. I., & Okolo-Obasi, E. N. (2017). Multinational Oil Firms' CSR Initiatives in Nigeria: The Need of Rural Farmers in Host Communities. *Journal of International*

- Development*, 29, 308-329. <https://doi.org/10.1002/jid.3243>
- Ushurhe, O., Ozabor, F., & Dibosa, F. C. (2024a). Harvested Rainwater Quality from Different Roof Types within the Urban Areas of Ughelli, Delta State, Nigeria. *Wilberforce Journal of the Social Sciences*, 9, 186-204. <https://doi.org/10.36108/wjss/4202.90.0280>
- Ushurhe, O., Ozabor, F., Onyeayana, W. V., Adekunle, O., Christabel, I. C., & Chike, D. F. (2024b). Seasonal Sodium Percentage (%NA), Absorption Ratio (SAR) and Irrigation Water Quality Index (IWQI) Determination for Irrigation Purposes along River Ethiope, Southern Nigeria. *Journal of Water Resource and Protection*, 16, 523-537. <https://doi.org/10.4236/jwarp.2024.167029>
- Wang, P., Yang, Y., Xue, D., Ren, L., Tang, J., Leung, L. R. et al. (2023). Aerosols Overtake Greenhouse Gases Causing a Warmer Climate and More Weather Extremes toward Carbon Neutrality. *Nature Communications*, 14, Article No. 7257. <https://doi.org/10.1038/s41467-023-42891-2>
- Weli, V. E., & Famous, O. (2018). Clean Energy as a Compelling Measure in Achieving Lower Temperature: Evidence from Downscaled Temperatures of Two Niger Delta Cities Nigeria. *Journal of Climatology & Weather Forecasting*, 6, Article No. 222.
- Yule, E. L., Hegerl, G., Schurer, A., & Hawkins, E. (2023). Using Early Extremes to Place the 2022 UK Heat Waves into Historical Context. *Atmospheric Science Letters*, 24, e1159. <https://doi.org/10.1002/asl.1159>
- Zhang, L., Shen, M., Jiang, N., Lv, J., Liu, L., & Zhang, L. (2023). *Agricultural and Forest Meteorology*, 335, Article ID: 109440. <https://doi.org/10.1016/j.agrformet.2023.109440>
- Zhou, G., He, X., Yang, K., Li, L., Guo, H., Wang, G. et al. (2023). Effects of Temperature and Relative Humidity on Behavior and Physiological Indices in Goats. *Small Ruminant Research*, 229, Article ID: 107126. <https://doi.org/10.1016/j.smallrumres.2023.107126>
- Zwiers, F. W., Alexander, L. V., Hegerl, G. C., Knutson, T. R., Kossin, J. P., Naveau, P. et al. (2013). Climate Extremes: Challenges in Estimating and Understanding Recent Changes in the Frequency and Intensity of Extreme Climate and Weather Events. In G. R. Asrar, & J. W. Hurrell (Eds.), *Climate Science for Serving Society: Research, Modeling and Prediction Priorities* (pp. 339-389). Springer. https://doi.org/10.1007/978-94-007-6692-1_13