

Table of Contents

Volume 8 Number 7

June 2018

Favorable Reproducibility of Ki-67-Labeling Index between Core Needle Biopsy and Surgical Materials in Mammary Carcinoma: Reproducibility Influenced by Hot Spots, a High Ki-67 Labeling Index, and the Total Length of Biopsy Material

K. Ogura, T. Matsumoto, A. Sakaguchi, H. Onagi, A. Ura, T. Kosaka, T. Kitabatake, K. Kojima, T. Morizane.....647

Conservative Management of Placenta Accreta of Seven Cases

B. Fakhir, M. Zaki, K. Harou, A. Bassir, L. Boukhan, Y. Aitbenkeddour, H. Asmouki, A. Soummanni.....660

Isolated Para-Aortic Nodal Recurrence in Endometrial Cancer

M. Matsuura, A. Takahashi, H. Nomura, M. Matoda, S. Okamoto, H. Kanao, K. Omatsu, K. Kato, K. Utsugi, N. Takeshima.....669

Prevalence of Maternal Anemia in Pregnancy: The Effect of Maternal Hemoglobin Level on Pregnancy and Neonatal Outcome

M. A. Youssry, A. M. Radwan, M. A. Gebreel, T. A. Patel.....676

Study of Factors Associated with Anemia among Women in Reproductive Age in Kolda (Senegal)

T. Jean Augustin Diégane, F. Adama, D. Sophie, N. Khadim, B. Oumar, L. Mamadou Moustapha Mbacke, S. Ndeye Mareme, D. Fatoumata Bintou, D. Amadou Ibra, D. Mayassine, C. Maty Diagne, D. Boubacar, S. Ibrahima, D. Anta Tal.....688