

Table of Contents

Volume 4 Number 7

July 2014

**A Modified Branched Graft Inversion Technique Employing a Syringe Insertion
in Ascending Aortic Replacement for Type A Aortic Dissection**

M. Kawabori, T. Murakami, K. Ahn, Y. Kato, M. Kotani, M. Toyama.....95

**Correlation of Electric Cardiometry and Continuous Thermodilution Cardiac
Output Monitoring Systems**

V. Malik, A. Subramanian, S. Chauhan, M. Hote.....101

Early Postoperative Anticoagulation by Enoxaparin after Mechanical Aortic Valve Replacement

Y. Moutakiallah, M. Bamous, R. Henaine, J. Robin, J. F. Obadia, J. Ninet.....109

**Epidemiology and Pathophysiology of Acquired Heart Failures Amenable to
Surgical Interventions in the Sub-Saharan Africa**

K. E. Okonta.....116

**Comparison of Cardiac Output Measurement by Noninvasive Method with
Electrical Cardiometry and Invasive Method with Thermodilution Technique
in Patients Undergoing Coronary Artery Bypass Grafting**

R. S. Rajput, S. Das, S. Chauhan, A. K. Bisoi, S. Vasdev.....123

Correlation of Blood Lactate and Mixed Venous Oxygen Saturation in Off-Pump CABG

G. S. Kamalakkannan, R. Karthekeyan, M. Vakamudi, S. Bangale, R. Kodali, H. Nayagam, S. Nandipati.....131